EPKJ-0917-SE01-(S5) ACTIVE

RAYCHEM

TE Internal #: 851111-000

Joints & Splices, EMEA, Heat Shrink, \leq 1 kV, Transition, Low

Voltage Joint, Cross-Section 70 – 150 mm², 4 Core, XLPE/EPR, No

Armoring

View on TE.com >



Energy & Power > Power Cable Accessories > Joints & Splices









Joints & Splice Product Availability: EMEA

Joints & Splice Technology: Heat Shrink

Joints & Splice Voltage Class: ≤ 1 kV

Joint & Splice Application Type: Transition

Joints & Splice Product Type: Low Voltage Joint

Features

Product Type Features

Product Type Features	
Case Seal	Adhesive
Shelf Life	Unlimited
Coating Style	Inline
Component Design	Heat Shrink
Adhesive Coating	Yes
Material System	Crosslinked Polyethylene
Joints & Splice Technology	Heat Shrink
Joints & Splice Product Type	Low Voltage Joint
Insulation	XLPE/EPR
Product Family	EPKJ
Configuration Features	
Number of Cores	4
Electrical Characteristics	
Joints & Splice Voltage Class	$\leq 1 \text{ kV}$
Body Features	
Outer Insulation	Tube

Horizontal/Vertical

Partition Orientation



Color	Black
Housing Features	
Armoring	No
Dimensions	
Cross-Section Range (Plastic)	70 – 150 mm²
Cross-Section Range (NKBA/NAKBA)	70 – 240 mm²
Cross-Section Range	70 – 150 mm²
Cable Cross-Section (Max) (Main)	150 mm ²
Cable Cross-Section (Min) (Main)	70 mm ²
Usage Conditions	
Environmental Resistance	Yes
Operation/Application	
UV-Stabilized	Yes
Joint & Splice Application Type	Transition
Industry Standards	
Standards	EN 50393
UL Rating	No
Product Availability	
Joints & Splice Product Availability	EMEA
Other	
Other Colors Available	No
Product Use	Joints/Splices

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Documents

Product Drawings
EPKJ-0917-SE01-(S5)

English

Datasheets & Catalog Pages

LOW VOLTAGE HEAT SHRINK JOINTS TECHNOLOGY

English