



**AOCTOW/A60LED/RGBTW/E27**



# Features

Bluetooth and Wifi enabled smart lamp

Commissioned via WiZ App

Voice activated compatibility; offers hands-free controls, perfect for domestic and commercial properties

RGB and Tunable white for total colour and comfort

A60 is comparable with 60W incandescent lamp

Fully dimmable from 10% to 100%

E27 and B22 base options available

Comparable output to a 60W Tungsten Halogen

Group, scene, holiday and timer settings achieved via WiZ App

Suitable for indoor applications in dry rooms, professional use in public buildings and outdoor use in specially shielded luminaires

Lamp lifespan 25,000 hours

## General Information

|                            |          |
|----------------------------|----------|
| <b>Lamp Type</b>           | E27      |
| <b>Colour / Finish</b>     | White    |
| <b>Bluetooth Enabled</b>   | Yes      |
| <b>IP Rating</b>           | IP20     |
| <b>Internal / External</b> | Internal |
| <b>Warranty (Years)</b>    | 3        |
| <b>CE Mark</b>             | Yes      |
| <b>Length (mm)</b>         | 118      |
| <b>Diameter (mm)</b>       | 60       |

# Technical Information

|                         |              |
|-------------------------|--------------|
| <b>Wattage</b>          | 8W           |
| <b>Lumens Delivered</b> | 806lm        |
| <b>CRI</b>              | Ra 90        |
| <b>CCT</b>              | 2700-6500K   |
| <b>Input</b>            | 220/240V     |
| <b>Hertz</b>            | 50/60Hz      |
| <b>Operating Temp</b>   | -20°C - 45°C |

## Technical Data - ETIM - LED-lamp/Multi-LED (EC001959)

|   |             |
|---|-------------|
| <b>Nominal voltage</b>                        | 220-240 V   |
| <b>Lamp power</b>                             | 8-8 W       |
| <b>Rated luminous flux acc. IEC 62722-2-1</b> | 806 lm      |
| <b>Colour rendering index CRI</b>             | 90-100      |
| <b>Lamp shape</b>                             | Pear-shape  |
| <b>Socket</b>                                 | E27         |
| <b>Colour temperature</b>                     | 2700-6500 K |
| <b>Colour housing</b>                         | White       |
| <b>Dimmable</b>                               | Yes         |
| <b>Diameter</b>                               | 60 mm       |
| <b>Length</b>                                 | 118 mm      |
| <b>Degree of protection (IP)</b>              | IP20        |
| <b>Average nominal lifespan</b>               | 25000 h     |
| <b>Remote operation possible</b>              | Yes         |

Datasheet generated from <https://onetimepim.com> last updated Friday, February 18, 2022 12:21:17 PM

