## 3498.8 FQI 2,5-4/8 YE





Insulated cross-connector, No. of poles: 8, Mounting type: Plug in, Width: 40.7 mm, Colour: Yellow

**RAL:** 1026

#### **Business data**

Article number	<u>3498.8</u>
Article name	FQI 2,5-4/8 YE
GTIN (EAN)	4044211132194
Colour	Yellow
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	6.76 g
Weight per piece (including packaging)	6.78 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Product description	Insulated cross-connector





Technical data		
Technical data		
Dimensions		
Length	4 mm	
Width	40.7 mm	
Pitch size	5.1 mm	
Ratings		
Max. voltage	800 V	
Rated current	24 A	
Current load, max.	24 A	
Rated cross-section	2.5 mm <sup>2</sup>	
Connection data		
No. of poles	8	
Materials		
Material	Copper	
Surface	Tin-nickel	
Insulation housing	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Mounting type	Plug in	
Number of bridged terminals	8	
Environmental Product Compliance		
REACH Conform	yes	
REACH Reference date	2022-06-10	
REACH Candidate Substance Note	No	
RoHS Conform	yes	
-		_

3498.8 FQI 2,5-4/8 YE



Media

### 3498.8 FQI 2,5-4/8 YE



#### **Accessories**

#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3243.2	FDLIS 2,5-4 N/L	4044211130770	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3246.2	FDLIS 2,5-4 L	4044211130800	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3252.2	FDLIS B 2,5-4 6L/3PE	4044211130862	16 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3287.2	FDLI 2,5-4 OT/L/PE	4044211181642	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3288.2	FDLI 2,5-4 OT/L	4044211181659	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3240.2	FDLIS 2,5-4 NT/L/PE	4044211130749	50 ST



#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3241.2	FDLIS 2,5-4 N/L/PE	4044211130756	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3242.2	FDLIS 2,5-4 L/L/PE	4044211130763	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 10.2 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3248.2	FDLIS B 2,5-4 NT/3L/PE	4044211130824	25 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3249.2	FDLIS B 2,5-4 3L/3N/3PE	4044211130831	16 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3251.2	FDLIS B 2,5-4 6L	4044211130855	16 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3282.2	FDLI 2,5-4 MT/L/PE	4044211181598	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3284.2	FDLI 2,5-4 NT/L	4044211181611	50 ST

### 3498.8 FQI 2,5-4/8 YE



#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3286.2	FDLI 2,5-4 L/L	4044211181635	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3289.2	FDLI 2,5-4 MT/L	4044211181666	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3244.2	FDLIS 2,5-4 L/L	4044211130787	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3245.2	FDLIS 2,5-4 N	4044211130794	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3247.2	FDLIS B 2,5-4 3NT/3L/3PE	4044211130817	16 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 10.2 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3250.2	FDLIS B 2,5-4 3L/N/PE	4044211130848	25 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3283.2	FDLI 2,5-4 NT/L/PE	4044211181604	50 ST

### 3498.8 FQI 2,5-4/8 YE



#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3285.2	FDLI 2,5-4 L/L/PE	4044211181628	50 ST

#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3243.2	FDLIS 2,5-4 N/L	4044211130770	50 ST

#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3283.2	FDLI 2,5-4 NT/L/PE	4044211181604	50 ST

#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3285.2</u>	FDLI 2,5-4 L/L/PE	4044211181628	50 ST

#### ##INVERSE##CONTA-CONNECT







Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3249.2	FDLIS B 2,5-4 3L/3N/3PE	4044211130831	16 ST

#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3247.2	FDLIS B 2,5-4 3NT/3L/3PE	4044211130817	16 ST