


Mounting box  
**K3 EK**



**K3 EK**

**Mounting box**

Productnumber: 98000201  
Dimensions: 142 x 142 x 70 mm

Mounting box, prepared to take the WK terminal blocks 2.5 - 25 mm<sup>2</sup>, suitable to take a 20-pole telephone terminal strip or as a telephone continuity box to DIN 47614-615, combinable, with protection class IP30, Rated insulation voltage: 400V AC, certified according to VDE (DIN EN 50085-1 (VDE 0604-1)), Halogen free

**magnet and nail installation, membrane for perforation, Sealing area M16 - M50, support spar compatible**



**Technical Data**

**electrical characteristics**

Rated insulation voltage AC:	400 V
Type of protection:	IP30
Suitable for:	Concrete construction
UL Type Rating:	not specified

**Colours**

Cover colour:	other
---------------	-------

**Dimensions**

Width:	142 mm
Length:	142 mm
Height:	70 mm

**Material characteristics**

Industry quality:	no
Halogen free:	yes
Flammability class according with UL94:	HB
Glow-wire flammability according to EN 60695-2-11:	650 °C

**mechanical properties**

Type of fastening:	magnet and nail installation
--------------------	------------------------------

**Ambient conditions**

max. relative humidity 25°C:	- %
max. relative humidity 40°C:	50 %
Min. ambient temperature:	-25 °C
Max. ambient temperature:	40 °C
24h ambient temperature:	35 °C

## Material

---

Base unit material:	Polypropylene
Cover material:	Polypropylene

---

## Certificates

---

Test mark:	VDE (DIN EN 50085-1 (VDE 0604-1))
------------	--------------------------------------

---

## Accessories

- [46050601 - WK 060 KLS-6<sup>2</sup> - Terminal block](#)
- [46051001 - WK 100 KLS-10<sup>2</sup> - Terminal block](#)
- [46051601 - WK 160 KLS-16<sup>2</sup> - Terminal block](#)
- [97925001 - HFL - IBT Accessories](#)
- [97929901 - HM-UNI - IBT Accessories](#)
- [98010001 - K3 VD - sealing plate](#)
- [19599501 - LFR - Stepped drill](#)
- [97022001 - RVB 20 - Conduit coupling](#)
- [97022501 - RVB 25 - Conduit coupling](#)
- [97023201 - RVB 32 - Conduit coupling](#)
- [97024001 - RVB 40 - Conduit coupling](#)
- [97810001 - IBT LZA-OE - Hole punch](#)
- [97811801 - IBT LZA-18 - Hole punch](#)
- [97812301 - IBT LZA-23 - Hole punch](#)
- [97881401 - IBT STE-LST/14 - Punch set](#)
- [97881801 - IBT STE-LST/18 - Punch set](#)
- [97882301 - IBT STE-LST/23 - Punch set](#)
- [97883001 - IBT STE-LST/30 - Punch set](#)
- [97883901 - IBT STE-LST/39 - Punch set](#)
- [97891401 - IBT STE-LZA/14 - Punch set](#)
- [97891801 - IBT STE-LZA/18 - Punch set](#)
- [97892301 - IBT STE-LZA/23 - Punch set](#)
- [97915501 - WED - Expansion mandrel](#)
- [97924001 - NAS-AL - IBT Accessories](#)
- [97924201 - NA-AL - IBT Accessories](#)
- [97924301 - NA-AL/gl - IBT Accessories](#)
- [97926001 - ANSW - IBT Accessories](#)
- [97953601 - STH-ELP - Cartridge insert](#)
- [97957001 - STH 70 - Support spar](#)
- [97959001 - STH 90 - Support spar](#)
- [97960001 - STH 100 - Support spar](#)
- [97961001 - STH 110 - Support spar](#)
- [97963001 - STH 130 - Support spar](#)

[97964001 - STH 140 - Support spar](#)

[97965001 - STH 150 - Support spar](#)

[97967001 - STH 170 - Support spar](#)

[97969001 - STH 190 - Support spar](#)

[97973001 - STH 230 - Support spar](#)

[97974001 - STH 240 - Support spar](#)

[97979001 - STH 290 - Support spar](#)

## Cable gland

