


BODO N3

single outlet with one floor socket, wet maintained, round



Round single outlet with floor cover protection frame. Including pivotable tube as cable outlet, cover, mounting box with strain-relief, claw set and rubber seal. For installation in floor sockets and raised or hollow space floor openings. Equipped with an isolated ground receptacle of 45x45mm and a dummy data cover of 22,5x45mm for Keystone modules. Suitable for rooms with dry and wet-cleaned floor covers. Designed for high traffic loads.

Please mind the technical information in chapter planning.



material	Tube, cover and tube collet: aluminium or stainless steel / frame and mounting box: plastic material
type of assembly	Fixing on floor box UBDHB / rough concrete floor and installation in screed or false floor
application area	wet floor cleaning
protection class	in use IP 22 / in use with rubber sleeve UGM1-3 IP 43 / not in use IP 66
norm	according to DIN EN 50085
permits	according to VDE / TÜV
loading	including inspection stamp Ø 130 mm: 15 kN

Aluminium

Product	H	H _{min}	B	E	P _{max}	IP _n	IP _g	G
BODO N3	122 mm	87 mm	140 mm	122 mm	15 kN	IP 66	IP 43	0,70 kg
incl.:								
1x UET80-R-WD	tube							
1x UETD80-R-WD	tube cover							
1x UST45-W 1	shockproof socket, single							
1x UTG 75	device separation plate							
1x UARM-3-1 118	cover plate for 3x UDAE22							
1x UG-R	mounting box, round							
2x UGM1-3	rubber sleeve							
1x UDA22-KS 1	data cover, Keystone, 22,5x45 mm							
1x UWZ-IS 8	Allen wrench							
BODO N3-SW	122 mm	87 mm	140 mm	122 mm	15 kN	IP 66	IP 43	0,70 kg



Product	H	H _{min}	B	E	P _{max}	IP _n	IP _g	G
incl.:								
1x UET80-R-WD								tube
1x UETD80-R-WD								tube cover
1x UST45-W 1								shockproof socket, single
1x UTG 75								device separation plate
1x UARM-3-1 118								cover plate for 3x UDAE22
1x UG-R								mounting box, round
2x UGM1-3								rubber sleeve
1x UDA22-KS 1								data cover, Keystone, 22,5x45 mm
1x UWZ-IS 8								Allen wrench

H: height

H_{min}: Minimum installation height

B: width

E: fitting dimension

P_{max}: Maximum load


:

IP_n: IP protection level in unused condition

IP_g: IP protection level in used condition

G: weight

DETAILS / APPLICATIONS



OPTIONAL ACCESSORIES

USK R122, UBDHB 122R





wet-cleaned



Electrical and electronic equipment must not be disposed off via the household waste.

