



## **AGAMLED/WW/M3**

Gamma LED - Emergency - 18W Warm White



## **Features**

Ultra slim modern polycarbonate wall/ceiling light.

Matt white finish to body and diffuser.

Rear fixing bracket and terminal housing for ease of installation.

Outperforms 38W CFL.

IP54 rating and suitable for bathroom use.

LED lifespan L70 50,000 hours.

Non-dimmable.

## General Information

Lamp Type	LED
Colour / Finish	Matt White
Emergency	Yes
IP Rating	IP54
Class Protection	2
Bathroom Zone	2
Internal / External	Internal
Surface / Recessed / Suspended	Surface
Warranty (Years)	3
CE Mark	Yes
Diameter (mm)	296
Depth (mm)	53
Accessories	AGAMLEDBZ/CH


## Technical Information

Wattage	18W
Lumens Delivered	1551lm
Lm/W	86 Lm/W
CRI	Ra 80
CCT	3000K
Input	230V
Hertz	50Hz
Operating Temp	-5°C to 35°C

## Technical Data - ETIM 6 - Ceiling-/wall luminaire (EC002892)

Suitable for wall mounting	Yes
Suitable for ceiling mounting	Yes
Suitable for surface mounting	Yes
With light source	Yes
Suitable for number of lamps	1
Lamp power at multiwatt	Not applicable
Control gear included	Yes
Type of dimming	Not dimmable
Suitable for emergency lighting	Yes
Nominal voltage	230-230 V
Colour temperature	3000-3000 K
Material housing	Plastic
Surface finishing	Matt
Colour housing	White
Suitable for light line configuration	No
Material cover	Plastic, opal
Type of grid	None
Length	296 mm
Width	296 mm
Height/depth	53 mm
With movement sensor	No
With light sensor	No
Protection class	II
Degree of protection (IP)	IP54
Ambient temperature	-5-35 °C

Max. system power	18 W
Rated luminous flux acc. IEC 62722-2-1	1551 lm
Colour of light	White
Colour rendering index CRI	80-89



Datasheet generated from <https://www.electrika.com> last updated Monday, March 4, 2019 10:34:14 AM